

SKT-0320H-CFK03

32" Industrial Open-Frame Touch Monitor

PCAP Touch screens 3mm tempered water-proof &vandal-proof 10 touch points



Seleniko 03, S.L.

PUBLISHED DATE:2020-06-01

www.seleniko.com

Open Frame Touch Monitor Parameters

Display Specifications				
Characteristic		Value		Comment
LCD Size/Type		32” a-Si TFT-LCD		
Aspect Ratio		16:9		
Active Area		Horizontal	698.4 mm	
		Vertical	392.8 mm	
Pixel		Horizontal	0.36375	
		Vertical	0.36375	
Panel Resolution		1920(RGB)×1080(FHD)		Native
Display Color		16.7M colors		6-bits + Hi-FRC
Contrast Ratio		3000:1		Typical
Brightness		350 nits		Typical
Response Time		10 ms		Typical
Viewing Angle		Horizontal	178	Typical
		Vertical	178	
Video Signal Input		VGA and DVI and HDMI		
Physical Specifications				
Dimensions		Width	773.5 mm	
		Height	468.2 mm	
		Depth	65mm	
Weight		Net Weight 12 kgs	Shipping Weight 17 kgs	
Box Dimensions		Length	660 mm	
		Width	450 mm	
		Height	180 mm	
Electrical Specifications				
Power Supply		DC 12V 4A		Power Adapter Included
		100-240 VAC, 50-60 Hz		Plug Input
Power Consumption		Operating	38 W	Typical
		Sleep	3 W	
		Off	1 W	
Touch Screen Specifications				
Touch Technology			Project Capacitive Touch Screen 10 Touch Point	
Touch Interface			USB (Type B)	
OS Supported	Plug and Play		Windows All (HID) ,Linux (HID) (Android Option)	
Driver			No need. Plug and play	
Environmental Specifications				
Condition			Specification	
Temperature		Operating	-10° C ~+ 50° C	
		Storage	-20° C ~ +70° C	
Humidity		Operating	20% ~ 80%	
		Storage	10% ~ 90%	
MTBF			30000 Hrs at 25° C	

Components

USB Cable type A – type B *1 Pcs,
HDMI Cable *1 Pcs,
Power Cord with Switching Adapter *1 Pcs,
Bracket*2 Pcs



USB Cable A-B

VGA Cable (Option)

DVI Cable (Option)

HDMI Cable

DC Power Supply With Cord

Rear Bracket

Intended usage

Monitor capable of directly connecting to and designed for use with an automatic data processing machine of heading 8471 (HS-CODE: 8528521000).

Application

Product is intended only for OEM (Original Equipment Manufacturer) application.
Product used for application on industrial control gaming, transportation, finance, retail...

Mechanical Drawing





